

WATCH VIDEO



2-IN-1 WC PAN
CONNECTOR & AIR
ADMITANCE VALVE

PAN CONNECTOR
AIRCONNECT



AIRCONNECT

THE **2-IN-1** WC PAN CONNECTOR
THAT DRAINS AND **VENTILATES** PIPES!

Inventor of the flexible toilet pipe, which revolutionized the installation of WC pan connector during renovations, **WIRQUIN** is now launching a **new generation of toilet connectors**.

AIRCONNECT is the first 2-in-1 WC pan connector that combines two functions in a single, ultra-easy-to-install solution: efficient drainage combined with integrated **AIRSYSTEM** ventilation, which eliminates rising odors and pipe noise!

The result: a healthy, more comfortable bathroom that's always a pleasure to live in!



wirquin

2-IN-1 WC PAN CONNECTOR *AIRCONNECT*

BENEFITS



COMFORT «AIR SYSTEM»

- **VENTILATION:** creates or improves secondary ventilation in the pipes
- **COMFORT:** anti-backflow, eliminates odours and pipe noise in the bathroom.
- **2 IN 1:** two functions in a single solution: integrated anti-vacuum in the WC pan connector, evacuates and ventilates pipes.
- **EASY MAINTENANCE:** integrated inspection hole.



QUICK AND EASY INSTALLATION

- **UNIQUE UNIVERSAL SOLUTION:** flexible, expandable, and equipped with a multi-diameter outlet, this solution replaces a wide range of toilet fittings and easily adapts to all configurations.
- **QUICK INSTALLATION:** time saving thanks to the 2-in-1 product, without drilling any hole, the easiest way to install a ventilation.
- **SMART INSTALLATION:** works even when tilted (156°), unlike conventional valves that require strict vertical placement.




DURABLE

- **REINFORCED LEAK-PROOFING:** , double-lipped seal.
- **ROBUST:** reinforced metal sheath, 10-year warranty. LONGTIME® certified, designed to last, certifies the product's durability.
- **ECO-DESIGNED:** made from over 50% recycled material.



wirquin
Innovation




AIR SYSTEM FUNCTION: Integrated Anti-Vacuum Technology

> When you flush: a large volume of water rushes into the pipe. This flow creates negative pressure (a vacuum), which can cause backflow, noise, and unpleasant odours—especially when a shower is installed close to the toilet.

> With the integrated AIR SYSTEM, the membrane automatically opens in case of negative pressure, allowing air to enter the network. This ensures smooth, quiet drainage with no odour backflow.

AIR SYSTEM



RELIABLE

The LONGTIME® Label: a Mark of DURABILITY & REPAIRABILITY

DURABILITY: From design to the use of recycled materials, Wirquin develops robust products that ensure long-lasting performance.

REPAIRABILITY: The availability of essential spare parts and a 10-year manufacturer's warranty demonstrate Wirquin's strong commitment to the product's longevity.



CHARACTERISTICS

Outlet Diameter: 93–100–110 mm

Inlet Diameter: 80–105 mm

Connection Type: push-fit


Angle: 45°

Total Length: 475 mm (hose extended to the right)

Minimum Length: 260 mm (hose bent)

Main Material: recycled ABS

Membrane: silicone



AIRCONNECT

THE 2-IN-1 WC PAN CONNECTOR THAT DRAINS AND VENTILATES PIPES!



KEY INFORMATION

Product name	Code	EAN code	Packaging	Box Qty
AIRCONNECT 2-IN-1 WC PAN CONNECTOR push-fit EN/IT	70120824	5017134150247	CARDBOARD	12