



U-TILE *cosyart*
construire votre projet

Designer and contemporary radiators – The essentials

INTRODUCTION	3
ENERGY SAVINGS	4
TOWEL DRYER	6
BLOWER	8
RECEIVER AND THERMOSTAT	10
HOT WATER ACCESSORIES	11
TECHNICAL DATA SHEET	12
APPEARANCES AND FORMATS	14
MIRROR	16
MONOCHROMES	20
TEMPERED GLASS	24
RESIN IMITATION STONE	28
NATURAL STONE	36



Nowadays, decoration and design take a prominent place in our environment. We seek to give our interiors a real style, to put our personal touch so that they resemble us, that they welcome, that they amaze, that they amaze...

In this research, radiators are a headache! They are usually so ugly that there are radiator covers on the market! We have chosen the opposite approach: to make available to as many people as possible a range of designer radiators that will become elements of the decoration. Either because they will fit into a whole and fade into the background in favor of the overall decoration, or because they will become a remarkable object in their own right.

Turn the pages and discover our ranges without further delay.



Energy savings


what you need to know

Energy savings are essential... But when combined with design, it's ideal! This is the combination offered by cosyart... aesthetic and economical comfort. Our technology allows us to offer you a radiator that provides comfort and well-being while reducing energy costs.




the benefits of infrared radiation

Thanks to the emissivity of their material, Cosy-Art radiators emit long infrared rays (similar to the principle of the sun's rays) and irradiate the solid surfaces of the room, which store heat and also release it by radiation. The air is thus gradually heated and the temperature felt in the room is said to be "comfortable". The infrared radiation prevents the movement of dust particles in the room and the circulation of air, and thus provides the user with healthy air in the home.



a gentle and pleasant warmth

Our manufacturing process allows us to distribute the heat emitted by the radiator over its entire surface. This temperature homogeneity gives the radiator a heat emission called "soft heat". The diffusion in the room is therefore less aggressive for the user because it is distributed from top to bottom, but above all more homogeneous, because it distributes the temperature in the room between the top and the bottom of it. It also avoids the hot-cold sensations of classic emitters.




back insulation to recover lost energy

The radiation occurs both at the front of the device and at the back. CosyArt has developed a wall mounting system with a layer of hard insulation. This rear insulation of the radiator stops the radiation and spreads additional heat in the room, without consuming more energy.



regulation... another principle of energy saving

A simple principle of energy saving is based on the average drop in temperature in your home. A drop of one degree in your room temperature generates a 7% drop in your electricity bill! In order to help you generate energy savings, all CosyArt radiators are equipped with a receiver and a wall programmer. This combination will allow you to regulate (increase or decrease the temperature depending on your presence time) the temperature of your room, but also to manage the temperature and energy savings with the window opening detection option. We have hidden the receiver behind the radiator, so that the aesthetics of your radiator are fully preserved.



barre

towel dryer

We wanted to bring a little more decorative touch to the interior of your bathroom and thus multiply the decoration possibilities. The idea is that you can associate the different towel rails with different colors of towel rails. Let your imagination run wild and find the towel rail that suits you. Possibility of providing you with towel rails with a RAL on request.

	REFERENCE	DIMENSIONS (mm)
WHITE FINISH	WHITE BAR M	438
WHITE FINISH	WHITE BAR X	536
MATTE BLACK FINISH	BLACK BAR M	438
MATTE BLACK FINISH	BLACK BAR X	536
BRUSHED STAINLESS STEEL FINISH	STAINLESS STEEL	438
BRUSHED STAINLESS STEEL FINISH	BAR M STAINLESS	536
GOLD FINISH	STEEL BAR X GOLD	438
GOLD FINISH	BAR M GOLD BAR	536
SLATE GREY FINISH	X GRAY BAR M	438
SLATE GREY FINISH	GRAY BAR X	536

White

A discreet, matte bar that will blend in with any interior or can also provide contrast on a dark radiator.

Black mat

Perfectly on-trend color to match trendy faucets and replace chrome or stainless steel.

Brushed stainless steel


The brushed steel highlights the radiator and provides a fairly neutral appearance.

Golden

Original and standing out from the usual colors, this gold aspect will allow for pretty color plays with the RAL color charts or other colors in your bathroom.

Slate gray

Metallic and trendy color in bathrooms (shower trays / washbasin tops) this bar will be combined with other elements.




3mm CHROME PLATED BRASS BAR available on request




**RAL ON DEMAND
AVAILABLE**





blower

It is sometimes difficult to combine the design of a decorative radiator with an often unsightly blowing technology. CosyArt presents you with designer blowing towel radiators. Compatible with the entire CosyArt design range and available in two colors - white or medium gray - this 1,000 Watt blower will bring you immediate comfort in the bathroom, in addition to the gentle heat given off by the radiators. The design of the blower is extremely refined and integrates with a minimalist thickness behind our radiators to reveal a fine and designer blower. The blower is also equipped with a regulation that can be connected to our wall thermostats. Compatible with electric radiators



Heaters must be ordered specifically with the blower.



Resin towel dryer with grey blower



thermostat

wall receiver and thermostat

CosyART radiators are all equipped with a receiver, located at the back of the radiator, in order to fully preserve the aesthetics of the radiator. This receiver is connected by radio frequency to a room thermostat. This pair will allow you to adjust the devices according to your lifestyle and thus generate energy savings. This receiver is replaced when ordering towel dryers with blowers by a blower device that can also operate with the room thermostat.

FUNCTIONAL FEATURES

Set temperature Operating	Adjustable from +10°C to +30°C
modes	Auto — Comfort — Eco — Frost protection — Prog
In all rooms except bathrooms living room, dining room, bedrooms, kitchen...	Super comfort manual Temperature setpoint increased by 2°C for a duration adjustable between 20 minutes and 2 hours. Integrated weekly programming 6 pre-recorded and editable weekly programs.
In a bathroom	Instant boost Temperature setpoint increased to maximum for the chosen duration, adjustable between 10 and 60 min Programmable boost over the week Up to 2 Boosts programmed per day for each day of the week
Window opening detection	Automatic switch to frost protection mode When a significant drop in temperature is detected while ventilating a room
Child safety	Keyboard lock
Safety settings	Limitation to a minimum set temperature
Display screen	Visualization settings, room temperature/learning setpoint, radio transmission, keypad lock, battery status

RECEIVER

Thickness	28 mm 176
Height	mm 66.5
Width	mm white or
Color	gray

THERMOSTAT D'AMBIANCE RHDRFPR

Height	99 mm
Width	90 mm
Depth	23 mm
Color Net	Blanc
weight	0,2 Kilos

Room temperature regulation Selection of operating

modes Selection of regulation type Weekly programming

adapted to the installation location Wireless transmission

by radio waves




accessories

hot water


Thermostatic faucet

Cosy Art has selected for you high-end thermostatic valves that complement the aesthetics of the radiators. These "multiblocks" connect directly to the outlet sleeves of our emitters (center distance of the sleeves 5 cm). Depending on the arrival position of your pipes, you should choose between the straight position (the pipes come from below the radiator at 90°) and the right-angled position (the pipes come from behind the radiator at 90°).



Fittings

To connect Cosy Art radiators, choose from several types of fittings, PER or copper, and indicate the desired section.





1 Front Finish | 2 -4 Polymer Component
3 Capillary tube plate
5 Support structure | 6 Side covers
7 Refractory fixing plate

electric

surface finish & emissivity

monochrome

Polymer resin and
projected polycarbonate
€ 0.92 to 0.98 depending
on the colors

tempered glass

Mass-coloured tempered
glass - € 0.90 to 0.95
depending on the colors.
mirror Real mirror in 4
mm € 0.90 to 0.95

natural stone Natural stone (11 possible finishes) - € 0.92 to 0.95

depending on the
textured resin finishes 3
possible finishes

€ 0.92 to 0.95
depending on the
finishes

benefits

ultra-flat

All of our ranges range from 6 to 8 cm
in overall thickness. For better
ergonomics in your living space.

radiation

The radiation from our radiators will
bring you excellent comfort while
minimizing your energy needs.

energy saving

Our radiation principle, our innovative
fixing system, and our built-in thermostat
will help you achieve real energy savings.

design

Designs for everyone, formats for
everyone, our radiators adapt to all
interiors, with discretion and elegance.

gentle heat

Heat emitted by radiation over a large
surface and recovery of rear energy
reinjecting into the room will bring you the
comfort of gentle heat.

TECHNICAL CHARACTERISTICS

STANDARD	CE - NF SECURITY
SAFETY	CLASS II
PROTECTION	IP 24
OPERATING VOLTAGE	230V AC +/- 10% 50 HZ 6
PILOT WIRE	ORDERS
SURFACE TEMPERATURE	60°C-70°C
INFRARED SPECTRUM SAFETY	INFRA RED LONG THERMAL
CIRCUIT BREAKER	CIRCUIT BREAKER 85°C
	ROHS
SAFETY FIXING INSULATING	6 ANCHOR POINTS
REAR FIXING	RECOVERY OF LOST ENERGY



hot water

benefits

surface finish & emissivity

monochrome

Polymer resin and
projected polycarbonate
€ 0.92 to 0.98 depending
on the colors

tempered glass

Mass-coloured tempered
glass - € 0.90 to 0.95
depending on the colors.

mirror

Real mirror in 4 mm €
0.90 to 0.95

natural stone

Natural stone (11 possible
finishes) - € 0.92 to 0.95
depending on the finish

textured resin

3 possible finishes
€ 0.92 to 0.95
depending on the
finishes

excellent heating performance

The internal design of the radiators allows
for excellent placement of gentle heat in
the room.

aesthetics

The heating system being very thin, we
retain the ultra-flat appearance of our
radiators that interior designers
particularly appreciate.

energy saving and environment

The amount of water present in the
tubes is less than in conventional
systems and the thermal efficiency
is higher.

safety

The heating body is inserted into
two polymer walls welded with a
high temperature epoxy resin, thus
constituting a perfectly sealed
assembly which avoids any possible
risk of leakage.

TECHNICAL CHARACTERISTICS

OUTPUT SLEEVES	EUROCONE 3/4
AXIS DISTANCE	50 MM
POWER MEASUREMENT REFERENCE	ΔT50K
	450 WATTS : 200 ML
	800 WATTS : 340 ML
	1200 WATTS: 375 ML
CENTRAL PLATE DIAMETER	ALUMINIUM
CAPILLARY TUBES	4.5 MM
INSULATING REAR FIXING	RECOVERY OF LOST ENERGY THERMAL
SAFETY CIRCUIT BREAKER	CIRCUIT BREAKER 85°C



275 W

60 x 40 cm



450 W

100 x 40 cm



800 W

140 x 50 cm





800 W









120 x 60 cm

DIMENSIONS IN CM	THICKNESS IN CM	ELECTRIC	CENTRAL HEATING Δ 50K
60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	NOT AVAILABLE
100 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	450 W	464 W
140 X 50	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	800 W	NOT AVAILABLE
120 X 60	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	800 W	NOT AVAILABLE


ASSEMBLY PRINCIPLE



REAR MOUNTING



appearances & formats




*All our models
can be manufactured
in horizontal version*





800 W

180 x 40 cm

DIMENSIONS IN CM	THICKNESS IN CM	ELECTRIC	CENTRAL HEATING ΔT150K
180 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	800 W	834 W



ASSEMBLY PRINCIPLE




REAR MOUNTING





1200 W

200 x 50 cm

DIMENSIONS IN CM	THICKNESS IN CM	ELECTRIC	CENTRAL HEATING ΔT150K
200 X 50	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	1200 W	1196 W



ASSEMBLY PRINCIPLE



REAR MOUNTING



mirror

Radiator, Mirror, Anti-fog, Towel dryer

Mirrors, mirrors, reflections of our bodies, our souls, our hearts...

Cry, you make them sad...

Smile, they flood you with happiness..





mirror





mirror

Ultra-flat mirror model that fits into any decor,

Bathroom version: anti-fog and towel dryer option(1)

mirror	 MIRROR	designation	electrical reference	central heating reference	dimensions in cm	thickness in cm	electric power	central heating power $\Delta T 50K$
			ME001	-	40 X 60	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
			ME002	MW002	40 X 100	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	450 W	464 W
			ME003	MW003	40 X 180	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	800 W	834 W
			ME004	MW004	50 X 200	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

(1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.

(2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE




monochrome

The simplicity of monochrome and the discretion of extra-flat

6.3 cm thick! That's all we left for the range monochrome!
Thus, the radiators integrate into the wall decoration, blend into the space or
are admired in mismatched colors.

It's up to you to choose from 5 available shades... Or choose your own color
by sending us your RAL shade





RAL 9003




RAL 1013





RAL 9005



RAL 7015



RAL 7046

2



3



2 - RAL 9010 Monochrome white | 3 - RAL 7046 Monochrome medium grey



monochrome

The simplicity of monochrome and the discretion of extra-flat.

The Cosy-Art monochrome radiators are ultra-flat, and their longitudinal

format makes them designer radiators that will fit into any interior, with

discretion and elegance.

monochrome


designation	electrical reference	heating reference. control	dimensions in cm	thickness in cm	electric power	central heating power $\Delta T50K$
BLANC RAL 9003	AE9003XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	AE9003S	AW9003S	100 X 40		450 W	464 W
	AE9003P	N/A N/A	120 X 60		800 W	N/A
	AE9003R	AW9003M	140 X 50		800 W	N/A
	AE9003M	AW9003X	180 X 40		800 W	834 W
	AE9003X	N/A	200 X 50		1200 W	1196 W
PEARL WHITE RAL 1013	AE1013XS	AW1013S	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	AE1013S	N/A N/A	100 X 40		450 W	464 W
	AE1013P	AW1013M	120 X 60		800 W	N/A
	AE1013R	AW1013X	140 X 50		800 W	N/A
	AE1013M	N/A	180 X 40		800 W	834 W
	AE1013X	AW7046S	200 X 50		1200 W	1196 W
GRIS CLAIR RAL 7046	AE7046XS	N/A N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	AE7046S	AW7046M	100 X 40		450 W	464 W
	AE7046P	AW7046X	120 X 60		800 W	N/A
	AE7046R	N/A	140 X 50		800 W	N/A
	AE7046M	AW7015S	180 X 40		800 W	834 W
	AE7046X	N/A N/A	200 X 50		1200 W	1196 W
SLATE GREY RAL 7015	AE7015XS	AW7015M	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	AE7015S	AW7015X	100 X 40		450 W	464 W
	AE7015P	N/A	120 X 60		800 W	N/A
	AE7015R	AW9005S	140 X 50		800 W	N/A
	AE7015M	N/A N/A	180 X 40		800 W	834 W
	AE7015X	AW9005M	200 X 50		1200 W	1196 W
BLACK RAL 9005	AE9005XS	AW9005X	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	AE9005S		100 X 40		450 W	464 W
	AE9005P		120 X 60		800 W	N/A
	AE9005R		140 X 50		800 W	N/A
	AE9005M		180 X 40		800 W	834 W
	AE9005X		200 X 50		1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

(1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.


(2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE



tempered glass

Reflections in the service of decoration, design and trends of the contemporary world.

Light and shadow, play of reflections...
Tempered glass plays with the ambient light and changes appearance depending on the angle. By turns chiaroscuro or shimmering, it is eternally elegant.



RAL 9003




RAL 1013





RAL 9003 WHITE and gold bar



RAL 9005




RAL 7015



RAL 7046

2



3



2 - RAL 9010 Monochrome white | 3 - RAL 7046 Monochrome medium grey



tempered glass

designs and trends of the contemporary world.

Cosy-Art tempered glass radiators are equipped with tempered glass colored in the mass, which gives the radiators a contemporary effect and reflections with colors that change depending on the brightness. A guaranteed aesthetic.


tempered
glass

designation	electrical reference	heating reference. central	dimensions in cm	thickness in cm	electric power	central heating power $\Delta T50K$
WHITE RAL 9003	VE9003XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	VE9003S	VW9003S	100 X 40		450 W	464 W
	VE9003P	N/A N/A	120 X 60		800 W	N/A
	VE9003R	VW9003M	140 X 50		800 W	N/A
	VE9003M	VW9003X	180 X 40		800 W	834 W
	VE9003X	N/A	200 X 50		1200 W	1196 W
PEARL WHITE RAL 1013	VE1013XS	VW1013S	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	VE1013S	N/A N/A	100 X 40		450 W	464 W
	VE1013P	VW1013M	120 X 60		800 W	N/A
	VE1013R	VW1013X	140 X 50		800 W	N/A
	VE1013M	N/A	180 X 40		800 W	834 W
	VE1013X	VW7046S	200 X 50		1200 W	1196 W
GRIS CLAIR RAL 7046	VE7046XS	N/A N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	VE7046S	VW7046M	100 X 40		450 W	464 W
	VE7046P	VW7046X	120 X 60		800 W	N/A
	VE7046R	N/A	140 X 50		800 W	N/A
	VE7046M	VW7015S	180 X 40		800 W	834 W
	VE7046X	N/A N/A	200 X 50		1200 W	1196 W
SLATE GREY RAL 7015	VE7015XS	VW7015M	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	VE7015S	VW7015X	100 X 40		450 W	464 W
	VE7015P	N/A	120 X 60		800 W	N/A
	VE7015R	VW9005S	140 X 50		800 W	N/A
	VE7015M	N/A N/A	180 X 40		800 W	834 W
	VE7015X	VW9005M	200 X 50		1200 W	1196 W
BLACK RAL 9005	VE9005XS	VW9005X	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	VE9005S		100 X 40		450 W	464 W
	VE9005P		120 X 60		800 W	N/A
	VE9005R		140 X 50		800 W	N/A
	VE9005M		180 X 40		800 W	834 W
	VE9005X		200 X 50		1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

- (1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.
(2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE



stone resin imitation

Reliefs, streaks, granulations...

The Cosy-Art range of resin radiators is made from a mold of the structure of natural stones. As a result, we obtain, at the same time, the grain of the natural stone and the uniformity of the color with, what is more, the possibility of making a radiator in a specific color (under reference of a RAL shade). Thus, our customers can give free rein to the most daring decorative ideas.

These clever irregularities will seduce you and magnify your interiors!



RAL 7015



RAL 7046





RAL 9003 WHITE and gold bar



RAL 9005



RAL 9003



Light grey slate imitation resin



slate resin imitation slate

imitation stone resin 904slate


designation	electrical reference	central heating reference	dimensions in cm	thickness in cm	electric power	central heating power Δ150K
 GRIS ANTHRACITE	RE7015XS-904	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE7015S-904	RW7015S-904	100 X 40		450 W	464 W
	RE7015P-904	N/A	120 X 60		800 W	N/A
	RE7015R-904	N/A	140 X 50		800 W	N/A
	RE7015M-904	RW7015M-904	180 X 40		800 W	834 W
	RE7015X-904	RW7015X-904	200 X 50		1200 W	1196 W
 GRIS CLAIR	RE7046XS-904	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE7046S-904	RW7046S-904	100 X 40		450 W	464 W
	RE7046P-904	N/A	120 X 60		800 W	N/A
	RE7046R-904	N/A	140 X 50		800 W	N/A
	RE7046M-904	RW7046M-904	180 X 40		800 W	834 W
	RE7046X-904	RW7046X-904	200 X 50		1200 W	1196 W
 NOIR	RE9005XS-904	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE9005XS904	RW9005S-904	100 X 40		450 W	464 W
	RE9005P-904	N/A	120 X 60		800 W	N/A
	RE9005R-904	N/A	140 X 50		800 W	N/A
	RE9005M-904	RW9005M-904	180 X 40		800 W	834 W
	RE9005X-904	RW9005X-904	200 X 50		1200 W	1196 W
 BLANC	RE9003XS-904	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE9003XS904	RW9003S-904	100 X 40		450 W	464 W
	RE9003P-904	N/A	120 X 60		800 W	N/A
	RE9003R-904	N/A	140 X 50		800 W	N/A
	RE9003M-904	RW9003M-904	180 X 40		800 W	834 W
	RE9003X-904	RW9003X-904	200 X 50		1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

(1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.
(2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE

2



3



2 - Graphite gris taupe 7037 | 3 - Graphite gris clair



stone resin imitation graphite

imitation stone resin
915 graphite

designation	electrical reference	central heating reference	dimensions in cm	thickness in cm	electric power	central heating power $\Delta T50K$
 GRIS ANTHRACITE	RE7015XS-915	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE7015S-915	RW7015S-915	100 X 40		450 W	464 W
	RE7015P-915	N/A	120 X 60		800 W	N/A
	RE7015R-915	N/A	140 X 50		800 W	N/A
	RE7015M-915	RW7015M-915	180 X 40		800 W	834 W
	RE7015X-915	RW7015X-915	200 X 50		1200 W	1196 W
 GRIS CLAIR	RE7046XS-915	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE7046S-915	RW7046S-915	100 X 40		450 W	464 W
	RE7046P-915	N/A	120 X 60		800 W	N/A
	RE7046R-915	N/A	140 X 50		800 W	N/A
	RE7046M-915	RW7046M-915	180 X 40		800 W	834 W
	RE7046X-915	RW7046X-915	200 X 50		1200 W	1196 W
 NOIR	RE9005XS-915	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE9005XS915	RW9005S-915	100 X 40		450 W	464 W
	RE9005P-915	N/A	120 X 60		800 W	N/A
	RE9005R-915	N/A	140 X 50		800 W	N/A
	RE9005M-915	RW9005M-915	180 X 40		800 W	834 W
	RE9005X-915	RW9005X-915	200 X 50		1200 W	1196 W
 BLANC	RE9003XS-915	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	RE9003XS915	RW9003S-915	100 X 40		450 W	464 W
	RE9003P-915	N/A	120 X 60		800 W	N/A
	RE9003R-915	N/A	140 X 50		800 W	N/A
	RE9003M-915	RW9003M-915	180 X 40		800 W	834 W
	RE9003X-915	RW9003X-915	200 X 50		1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

(1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.
(2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE



Anthracite grey granite imitation resin




stone resin imitation granit

imitation stone resin 925granit	designation	electrical reference		central heating reference	dimensions in cm	thickness in cm	electric power		central heating power $\Delta T150K$
 GRIS ANTHRACITE		RE7015XS-925	N/A		60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A	
		RE7015S-925	RW7015S-925		100 X 40		450 W	464 W	
		RE7015P-925	N/A		120 X 60		800 W	N/A	
		RE7015R-925	N/A		140 X 50		800 W	N/A	
		RE7015M-925	RW7015M-925		180 X 40		800 W	834 W	
		RE7015X-925	RW7015X-925		200 X 50		1200 W	1196 W	
 GRIS CLAIR		RE7046XS-925	N/A		60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A	
		RE7046S-925	RW7046S-925		100 X 40		450 W	464 W	
		RE7046P-925	N/A		120 X 60		800 W	N/A	
		RE7046R-925	N/A		140 X 50		800 W	N/A	
		RE7046M-925	RW7046M-925		180 X 40		800 W	834 W	
		RE7046X-925	RW7046X-925		200 X 50		1200 W	1196 W	
 NOIR		RE9005XS-925	N/A		60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A	
		RE9005XS925	RW9005S-925		100 X 40		450 W	464 W	
		RE9005P-925	N/A		120 X 60		800 W	N/A	
		RE9005R-925	N/A		140 X 50		800 W	N/A	
		RE9005M-925	RW9005M-925		180 X 40		800 W	834 W	
		RE9005X-925	RW9005X-925		200 X 50		1200 W	1196 W	
 BLANC		RE9003XS-925	N/A		60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A	
		RE9003XS925	RW9003S-925		100 X 40		450 W	464 W	
		RE9003P-925	N/A		120 X 60		800 W	N/A	
		RE9003R-925	N/A		140 X 50		800 W	N/A	
		RE9003M-925	RW9003M-925		180 X 40		800 W	834 W	
		RE9003X-925	RW9003X-925		200 X 50		1200 W	1196 W	



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

(1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US. (2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE



natural stone

Textures and reliefs...

The colours of the earth are invited inside. Bewitched stones, buried secrets, fascination with minerals.



**TAN BEIGE
901**



**CUPRUS
902**



**SLATE
904**



**MARS
ROCK
907**



RAL 9003 WHITE and gold bar



**LAUZES
910**




**GRAPHITE
915**



**SEA
ROCK
925**

2



3



2 - 907 Mars Rock | 3 - 904 Slate



natural stone

natural stone

designation	electrical reference	central heating reference	dimensions in cm	thickness in cm	electric power	central heating power $\Delta T 50K$
 TAN BEIGE (901)	PE901XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE901S	PW901S	100 X 40		450 W	464 W
	PE901P	N/A	120 X 60		800 W	N/A
	PE901R	N/A	140 X 50		800 W	N/A
	PE901M	PW901M	180 X 40		800 W	834 W
	PE901X	PW901X	200 X 50		1200 W	1196 W
 CUPRUS (902)	PE902XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE902S	PW902S	100 X 40		450 W	464 W
	PE902P	N/A	120 X 60		800 W	N/A
	PE902R	N/A	140 X 50		800 W	N/A
	PE902M	PW902M	180 X 40		800 W	834 W
	PE902X	PW902X	200 X 50		1200 W	1196 W
 SLATE (904)	PE904XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE904S	PW904S	100 X 40		450 W	464 W
	PE904P	N/A	120 X 60		800 W	N/A
	PE904R	N/A	140 X 50		800 W	N/A
	PE904M	PW904M	180 X 40		800 W	834 W
	PE904X	PW904X	200 X 50		1200 W	1196 W
 MARS ROCK (907)	PE907XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE907S	PW907S	100 X 40		450 W	464 W
	PE907P	N/A	120 X 60		800 W	N/A
	PE907R	N/A	140 X 50		800 W	N/A
	PE907M	PW907M	180 X 40		800 W	834 W
	PE907X	PW907X	200 X 50		1200 W	1196 W
 LAUZES (910)	PE910XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE910S	PW910S	100 X 40		450 W	464 W
	PE910P	N/A	120 X 60		800 W	N/A
	PE910R	N/A	140 X 50		800 W	N/A
	PE910M	PW910M	180 X 40		800 W	834 W
	PE910X	PW910X	200 X 50		1200 W	1196 W
 GRAPHITE (915)	PE915XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE915S	PW915S	100 X 40		450 W	464 W
	PE915P	N/A	120 X 60		800 W	N/A
	PE915R	N/A	140 X 50		800 W	N/A
	PE915M	PW915M	180 X 40		800 W	834 W
	PE915X	PW915X	200 X 50		1200 W	1196 W
 SEA ROCK (925)	PE925XS	N/A	60 X 40	ELECTRIC = 6.3 HOT WATER = 6.8 MIXED = 7.1	275 W	N/A
	PE925S	PW925S	100 X 40		450 W	464 W
	PE925P	N/A	120 X 60		800 W	N/A
	PE925R	N/A	140 X 50		800 W	N/A
	PE925M	PW925M	180 X 40		800 W	834 W
	PE925X	PW925X	200 X 50		1200 W	1196 W



MIXED VERSION AVAILABLE UP TO 800 WATTS: CONTACT US.

- (1) POSSIBILITY OF MOUNTING UP TO TWO BARS IN SERIES ON EACH DEVICE. FOR MORE BARS, PLEASE CONSULT US.
 (2) THE THICKNESS IS MEASURED FROM THE WALL TO THE EXTERIOR SURFACE OF THE DEVICE



4




5

4 - 901 - Tan Beige - Leaves dropped by the wind. Sweet reveries 5 - 902 - Cuprus - Slate bas-relief with its copper grout. A fresco, a Veronese 6 - 904 - Slate - Slate confirms its timeless elegance that made the beauty of our beautiful provincial houses







8

7 - 907 - Mars Rock - Sister planet, red and ochre planet, bumps and furrows 8 - 910 - Slates
- Bluish, grey, orange hues, scattered, miraculously ordered ■



9 - 915 - Graphite - Graphite, painters' mica, the carbon effect 11 -
925 - Sea Rock - I salute you, old ocean, proclaimed Lautréamont!



color chart

NATURAL STONE

Natural stone is, as its name suggests, a natural element that gives the material and the finished product a unique appearance, with surface irregularities and nuances of tone that make the finished product beautiful and original. Our company cannot therefore consider the presence of these as a manufacturing defect.



901 TAN BEIGE

The top row of the color chart features three panels of a 'Tan Beige' natural stone texture. The left panel shows a dark, mottled greyish-brown surface. The middle panel displays a lighter, yellowish-beige surface with subtle, irregular veining. The right panel shows a smooth, light beige surface with faint, horizontal, wavy lines.

902 CUPRUS

The middle row of the color chart features three panels of a 'Cuprus' natural stone texture. The left panel shows a dark, mottled greyish-brown surface. The middle panel displays a dark, reddish-brown surface with prominent, horizontal, wavy lines. The right panel shows a dark, mottled greyish-brown surface with subtle, irregular veining.




904 SLATE

The bottom row of the color chart features three panels of a 'Slate' natural stone texture. The left panel shows a dark, mottled greyish-brown surface. The middle panel displays a dark, mottled greyish-brown surface with subtle, irregular veining. The right panel shows a dark, mottled greyish-brown surface with subtle, irregular veining.





MARS ROCK

907



LAUZES

910



GRAPHITE

915



SEA ROCK

925



Also find the cosyart trends

Nowadays, decoration and design take a prominent place in our environment. We seek to give our interiors a real style, to put our personal touch so that they resemble us, that they welcome, that they amaze, that they amaze...



