

+ WALL CLADDING PANELS + CORNER SHELVES

DESIGN

6	BATHROOM RENOVATION
10 12 14 16 18 20 22	MATERIALS COLOURS FORMATS WALL CLADDING PANELS SHELVES GRIDS WASTES
24 34 36 40 44 50	SHOWER TRAYS NATURAL STONE COLOUR CHARTS NATURAL STONE SHOWER TRAYS SOLID SURFACE WHITE SMOOTH SHOWER TRAYS RESIN SLATE SHOWER TRAYS RESIN GRAPHITE SHOWER TRAYS RESIN LEATHER COLOUR CHART RESIN SLATE / GRAPHITE / LEATHER
56 57 58 56 60	TECHNICAL FACT SHEET NATURAL STONE TECHNICAL FACT SHEET SOLID SURFACE WHITE SMOOTH TECHNICAL FACT SHEET RESIN SLATE TECHNICAL FACT SHEET RESIN GRAPHITE TECHNICAL FACT SHEET RESIN LEATHER TECHNICAL FACT SHEET GRIDS & WASTES
62 63	MERCHANDISING CONTACT & GENERAL CONDITIONS OF SALE

In recent years, the renovation of the bathroom has become the primary renovation budget. The Italian shower has become the cornerstone of this piece. Long been trusted by Tileable SHOWER TRAYS, tile and masonary solutions. The low-profile SHOWER TRAYS have now set their dominance in the shower area and now offer many variations using the same materials (synthetic, natural stone, solid surface).

We have developed a global concept of innovative lowprofile SHOWER TRAYS, breaking with the current offers offered by competitors. The concept of our Swan collection is presented to you in this catalogue with a range of trendy materials, innovative products on the market, and finished products:

- Shower Trays Low Profile with Square Grid or Channel Grid
- Wall Cladding Panels
- Corner Shelves
- Mosaics in Large Roll Format (see our Rozzo Catalogue)
- Radiators and Heated towel rails www.cosy-art.fr

These products are available in many finishes and colours, to allow everyone to find the ideal product for their bathroom.





SWANN Art of bathroom

The \mathfrak{S} WN collection is composed of several trendy materials and colours deployed according to three major items:



1 TRAYS

— Low Profile Shower Trays you will discover for all ranges with a square grid finish or a channel grate finish. Many formats available. Customized also.



WALL CLADDING PANELS

— Wall Cladding Panels which allow for wall covering in renovation (ideal on old tiling) or in new for recessed faucets. These panels with a thickness of 1cm will be ideal – offering a harmonious set that removes most of the unsightly joints of traditional tiling.



3 SHELVES

— The corner shelves that fit in all corners of the bathroom, with discretion and elegance. Resistant up to 7 kg, these shelves are the perfect alternative to the old fashioned baskets that adorn most bathrooms.

BATHROOM RENOVATION

WITH THE PRODUCTS FROM THE



COLLECTION



EXAMPLE OF RENOVATION FROM OUR SWAN CONCEPT.

Renovation of a bathroom of the 70s into modern designer bathroom. We have integrated in this renovation all products in the range:

- Low profile tray in stone resin
- Panel of stone resin
- Natural stone corner shelf
- Mosaic 5 x 5 cm in large roll format on the shower wall
- Cozy-Art Towel in Cement Tileable Mosaic






ANTI-SLIP —

All our SHOWER TRAYS are Anti-Slip. However, depending on your requirements, we can change the slip criteria from PN12 to PN18 or PN24. The option is applicable after the laying of the tray.

TYPE OF PRODUCT	CLASSIFICATION ANTI-SLIP
SHOWER TRAYS IN RESIN STONE GRAPHITE / SLATE / LEATHER	CLASS C (Equivalent PN24)
SHOWER TRAYS IN NATURAL STONESTONE	CLASS C (Equivalent PN24)
SHOWER TRAYS IN SOLID SURFACE SMOOTH	CLASS A (Equivalent PN12)





LIGHT WEIGHT -

ONLY 20 KG/M²

The composition of our products is made up of a solid topping with an excellent insulator that allows good product dilation when installed and also better insulation of the shower space. The lighter weight is achieved whilst remaining very robust. This makes it easy to transport and install.

RESISTANCE — to chemicals

The treatment product applied to our products give the SHOWER TRAYS a significant resistance to chemicals and abrasion. Nevertheless, we recommend avoiding abrasive sponges and prefer soft bristles.

TYPE OF PRODUCT	EXPOSURE TIME	RESULT
WHITE SPIRIT	16 HOURS	NO CHANGE
CITRIC ACID		
URIC ACID		
ACETONE		
BLEACH		
WHITE VINEGAR		
LIMESCALE		
ALCOHOL at 90%		
AMMONIA		

CUT to SIZE —

All our SHOWER TRAYS are cuttable with a diamond disc cutter.

We can also deliver the bespoke trays (option) with an additional delay of 4 - 8 weeks.

Don't hesitate to consult us!

MATERIALS —

We offer 5 materials that will bring mineral, modern and design touches to your bathroom

- NATURAL STONE, our best-known innovation in the past 4 years. A true mineral and unique product, it will integrate in both a designer and traditional bathroom to create a break with the rest of the bathroom
- SOLID SURFACE SMOOTH WHITE, A true work of art that
 is pure and contemporary, it will be integrated into the
 most successful projects at the architectural level. Either
 melted in a totally white atmosphere, or in contrast to a
 room with more colorful tones
- RESIN STONE, Stone Graphite, Slate, Leather...
 Many finishes that will allow everyone to find a designer product in line with their project.
- **1** NATURAL **STONE**
- SOLID SURFACE WHITE SMOOTH
- **3** RESIN **GRAPHITE**
- **4** RESIN SLATE
- RESIN LEATHER



COLOURS —

From matt to glossy, from white to black, and mineral stone to synthetic, you will find in the Swan range all the colours you want. And if a particular colour draws you, consult us to study the manufacture of a product with the colours of your choice.

NATURAL **STONE**













SOLID SURFACE WHITE **SMOOTH**



9010 WHITE SMOOTH

RESIN **SLATE**











RESIN **GRAPHITE**











RESIN **LEATHER**















FORMATS —

From the small Parisian bathroom to largeprojects, you will find in our offer all the necessary formats, compatible with a square grid or a CHANNEL grid.

Here are the formats offered in our shower concept:

SQUARE TRAP








RECTANGULAR CENTRED
(BATH FORMAT)


FROM 70 TO 100 CM

CHANNEL TRAP









— CUSTOMIZED TRAYS —

Need a dedicated project with a specific size?

Don't want to cut it on site?

Call on us for a bespoke TRAY.


Our factory makes you the TRAY to the size you need.

Contact us by email or phone



PANELS WALL CLADDING —

Wall Cladding Panels allow you many configurations. From one to four walls, let your creativity guide you. As the walls are cuttable, they will adapt to all projects.



REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)
STONE BOARD 200/100	Panel 200 x100 cm in Natural Stone Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	200	100
STONE BOARD 260/120	Panel 260 x120 cm in Natural Stone Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	0,3 - 0,4	260	120
SOLID BOARD 250/100-9010	Panel 250 x100 cm in Solid Surface White Smooth Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	250	100
RESIN BOARD-200/100	Panel 200x100 cm in Resin Stone Graphite Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	200	100
RESIN BOARD-250/100	Panel 250 x100 cm in Resin Stone Graphite Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	250	100
RESIN BOARD-260/120	Panel 260 x120 cm in Resin Stone Graphite Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	0,3 - 0,4	260	120
SLATE BOARD-200/100	Panel 200 x100 cm in Resin Slate Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	200	100
SLATE BOARD-250/100	Panel 250 x100 cm in Resin Slate Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	10	250	100

POSSIBILITY OF DELIVERING PANELS UP TO 280 X 120 CM FROM THE FACTORY WITH AN ADDITIONAL 4-8 WEEK DELAY










VERTICAL PANELS


HORIZONTAL PANELS

Our cladding panels can be installed vertically (200 to 280 cm in height) and possibly installed in addition to a mosaic or installed horizontally to increase the impression of depth in the shower.



SHELVES —

What could be uglier than a stainless steel or plastic basket in a high-end bathroom. Let yourself be tempted by a finished product, pure, with invisible fixations. Our corner shelves are available in NATURAL STONE finishes (6 colours to choose from), graphite stone resin (5 colours to choose from) and solid surface.



NATURAL **Stone**















SOLID SURFACE **WHITE SMOOTH**

LENGTH (CM)

26

26



THICKNESS (CM)

2,5

9010 WHITE SMOOTH

RESIN STONE **GRAPHITE**













GRIDS SQUARE —



The SQUARE grid and its timeless design are offered this year in stainless steel as well as in trendy colors such as matte black, white or slate grey. Breaking with the traditional stainless steel finish, these colors will fit elegantly and designfully into your bathroom and blend with all the tiles.

Available in colour also on Diagonal, Square 2 and Round models

1 Full stainless steel | 2 Black RAL 9005 | 3 Slate Grey RAL 7015 4 White RAL 9010 | 5 Resin stone leather light grey 7046 and slate grey grid RAL 7015

GRID SUPPLIED GRIDS OPTION










REF	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)
SQUARE		11,5	11,5
SQUARE2	0,2		
ROUND	0,2		
DIAGONAL			





CHANNEL GRIDS —

Like the square grids, 7 Channel model grids are available this year in seven trendy colours to boost the offer and meet all the finishing requirements.

Also available in colour in Square Line and Round Line models

6 Solid surface white smooth| 7 Full stainless steel | 8 White RAL 9010 9 Slate Grey RAL 7015 | 10 Black RAL 9005 | 11 Natural Stone 910 12 Resin 7015

GRID SUPPLIED	GRID OPTIONS		
PLAIN	SQUARE LINE	ROUND LINE	

REF	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)
PLAIN			
SQUARE LINE	0,15	70	7
ROUND LINE			




WASTES —

EVACUATION: THREE PRODUCTS TO CHOOSE FROM

The traps are all offered in 40mm diameter (Glue or compression). The choice of our wastes was based on those designed by our partner WIRQUIN. Flow is at the center of the requirements, as is the ease of connection and installation and Wirquin innovations with the JAMES (Vertical or Horizontal Orientable) and the 4 cm ultra-flat SLIM waste perfectly meet these requirements.

360° or ultra-flat, the assurance of finding the ideal waste for your construction constraints.





		ORIENTATION		COMPATIBILITY	
REF	DESCRIPTION	HORIZONTAL (CM)	VERTICAL (CM)	WITH DESIGN TRAYS	
JAMES 90	360° waste for trays with square grids	8,3	12,4	All SHOWER TRAYS in the range with a square grid	
SLIM 90	Ultra-Flat waste for trays with square grids	- 4 to 5,8	-	All SHOWER TRAYS in the range with a square grid	
SLIM LINE	Ultra-Flat rectangular waste for trays with channel grids		-	All SHOWER TRAYS in the range with a channel grid	

4 to 5,8 cm

















NATURAL STONE

SHOWER TRAYS+ WALL CLADDING DESIGN

Produced with real stone, the NATURAL STONE TRAYS are unique and become the centerpiece of a differentiated bathroom. Opt for an exceptional natural product.

Available in 6 different stones and ranged as follows:

- SHOWER TRAYS ultra-flat square grid
- SHOWER TRAYS ultra-flat channel grid
- Wall Cladding Panels in 200x100/250x100

or 260x120/280x120 cm

Corner shelves















907 MARS STONE



910 LAVA STONE















Slate Grid

Inox Grid

Sea Stone Grid



915 Black Graphite





Copper










COLOUR CHART

Natural STONE is, as the name suggests, a natural element. This feature gives the material and the finished product a unique look, with surface irregularities and shades specific to each tray.

Tones that will create a unique atmosphere in your bathroom. It must be protected and maintained with suitable products. We can offer other finishes on request.



NATURAL STONE













SOLID SURFACE WHITE SMOOTH


SHOWER TRAYS+ WALL CLADDING PANELS

DESIGN

The solid surface is without a doubt the most noble and contemporary material of the decade. Elegant, discreet, uncluttered, Solid Surface appears in all GRAND bathrooms. Opt for a product from our solid surface range for a highend bathroom.

Available in pure white ranged as follows:

- SHOWER TRAYS ultra-flat with Channel grid
 - Wall Cladding Panels in 250 x 100 cm
 - Corner Shelves





9010 WHITE SMOOTH

















SLATE

SHOWER TRAYS+ WALL CLADDING PANELS **DESIGN**

Reproduced from a real slate, this resin model follows the trend of contemporary bathrooms and brings discretion to the bathroom.

Available in 5 colours and ranged as follows:

- SHOWER TRAYS ultra-flat square grid

- SHOWER TRAYS ultra-flat channel grid

— Wall Cladding Panels in 200x100/250x100 or 260x120/280x120 cm







CHANNEL GRID



PANEL



9010 WILLITE



7046 GREY CLEAR



7015 GREY SLATE



7037



BLACK







White















RESIN STONE GRAPHITE

SHOWER TRAYS+ WALL CLADDING PANELS

DESIGN

From a stone reminiscent of a slice of graphite, this contemporary and diagonally textured surface is timeless. Due to the texture, it also is naturally anti-slip.

> **Available in 5 colours** and ranged as follows:

- SHOWER TRAYS ultra-flat square grid
- SHOWER TRAYS ultra-flat channel grid

— Wall Cladding Panels in 200x100/250x100 or 260x120/280x120 cm

Corner Shelves











CORNER SHELF

















Grey clear



White













SHOWER TRAYS+ WALL CLADDING PANELS **DESIGN**

Designed from a honeycomb matrix, this tray is reminiscent of leather. Extremely pleasant to the feet and very discreet, this tray is the ideal asset for a designer bathroom.

Available in 5 colours and ranged as follows: - SHOWER TRAYS ultra-flat square grid

- SHOWER TRAYS ultra-flat channel grid







CHANNEL GRID



7046 GREY CLEAR






7037 GREY SLATE



9005 BLACK





RAL 7015TRAY - LEATHER GREY SLATE
GRID STAINLESS STEEL

TRAY - LEATHER GREY
TAUPE GRID GREY SLATE

TRAY - LEATHER WHITE GRID WHITE




AMBIANCE LEATHER GREY CLEAR

COLOUR CHART

RESIN SLATE SLATE	RESIN STONE GRAPHITE	RESIN LEATHER
9010 SLATE WHITE	9010 GRAPHITE WHITE	9010 LEATHER WHITE
7046 SLATE GREY CLEAR	7046 GRAPHITE GREY CLEAR	7046 LEATHER GREY CLEAR
7015 SLATE GREY SLATE	7015 GRAPHITE GREY SLATE	7015 LEATHER GREY SLATE
	54	

RESINE SLATE/GRAPHITE/LEATHER



RESIN SLATE RESIN GRAPHITE RESIN LEATHER

Leather, slate or graphite, you will find in our range all the colours you want. Also if you're attracted to a particular colour, contact us to study how to make a product in the colours of your choice.



REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 STONE		2,5	90	90	16	Centered
RC 100 STONE		3	100	100	22	Centered
RC 12080 STONE	SHOWER TRAYS In NATURAL	3	120	80	20	Offset (Bath format)
RC 12090 STONE	STONE Anti - slip Ultra flat Trap or 360° trap	3	120	90	24	Offset (Bath format)
RC 14090 STONE	Bespoke, consult us	3	140	90	26	Offset (Bath format)
RC 16090 STONE		3	160	90	32	Offset (Bath format)
RC 150100 STONE		3	150	100	35	Offset (Bath format)
RC 18590 STONE		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 STONE - LINE		3	90	90	16	Offset (Bath format)
RC 100 STONE - LINE		3	100	100	22	Offset (Bath format)
RC 12090 STONE - LINE	SHOWER TRAYS channel grid type in NATURAL STONE Anti - slip	3	120	90	24	Offset (Bath format)
RC 14090 STONE - LINE	Ultra flat Trap or 360° trap Bespoke, consult us	3	140	90	26	Offset (Bath format)
RC 150100 STONE - LINE	Bespoke, consult as	3,5	150	100	35	Offset (Bath format)
RC 18590 STONE - LINE		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	STONES AVAILABLE
STONE BOARD 200/100	Wall Cladding Panel 200 x 100 cm in NATURAL STONE- Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing	1	200	100	20	All available stones
STONE BOARD 260/120	Wall Cladding Panel 260 x 120 cm in NATURAL STONE- Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing - (also exists in 280 cm on demand)	0,3 - 0,4	260	120	6	915 - 925

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)
CORNER STONE	Corner Shelf in NATURAL STONE for shower or bathroom	2,5	26	26	1



902 COPPER



904 SLATE



907 MARS STONE



910 LAVA STONE



915 GRAPHITE



925 SEA STONE



REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 SOLID-9010		3	90	90	18	Offset (Bath format)
RC 100 SOLID-9010		3	100	100	24	Offset (Bath format)
RC 12090 SOLID-9010	SHOWER TRAYS channel grid type in solid surface, white	3	120	90	26	Offset (Bath format)
RC 14090 SOLID-9010	With Ultra flat trap	3	140	90	30	Offset (Bath format)
RC 150100 SOLID-9010	Bespoke, consult us	3,5	150	100	37	Offset (Bath format)
RC 18590 SOLID-9010		3,5	185	90	45	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)
SOLID BOARD 250/100-9010	Wall Cladding Panel 250 x 100 cm in Solid Surface White-Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing	1	250	100	30

SMOOTH

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)
CORNER SOLID	Corner Shelf in solid surface pour shower or bathroom	2,5	26	26	1

COLOURS



9010 WHITE SMOOTH



REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 SLATE		2,5	90	90	16	Centered
RC 100 SLATE		3	100	100	22	Centered
RC 12080 SLATE	SHOWER TRAYS in solid resin	3	120	80	20	Offset (Bath format)
RC 12090 SLATE	stone slate Anti - slip	3	120	90	24	Offset (Bath format)
RC 14090 SLATE	Ultra flat Trap or 360° trap	3	140	90	26	Offset (Bath format)
RC 16090 SLATE	Bespoke, consult us	3	160	90	32	Offset (Bath format)
RC 150100 SLATE		3	150	100	35	Offset (Bath format)
RC 18590 SLATE		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT ((KG	OUTLET POSITION
RC 90 SLATE - LINE	SHOWER TRAYS channel grid type in solid resin stone slate Anti - slip	3	90	90	16	Offset (Bath format)
RC 100 SLATE - LINE		3	100	100	22	Offset (Bath format)
RC 12090 SLATE - LINE		3	120	90	24	Offset (Bath format)
RC 14090 SLATE - LINE	Ultra flat Trap	3	140	90	26	Offset (Bath format)
RC 150100 SLATE - LINE	Bespoke, consult us	3,5	150	100	35	Offset (Bath format)
RC 18590 SLATE - LINE		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT ((KG)
SLATE BOARD-200/100	Wall Cladding Panel 200 x 100 cm Wall in Resin slate - Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing	1	200	100	20
SLATE BOARD-250/100	Wall Cladding Panel 250 x 100 cm Wall in Resin slate - Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing	1	250	100	28
SLATE BOARD-260/120	Wall Cladding Panel 260 x 120 cm Wall in Resin slate - Cuttable - Delivered with pre-mounted waterproof mat for peripheral waterproofing (also exists in 280 cm on demand)	0,3 - 0,4	260	120	6



9010 WHITE



7046 GREY CLEAR



7015 GREY SLATE




7037 GREYTAUPE



9005 BLACK











RESIN STONE

GRAPHITE

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 RESIN		2,5	90	90	16	Centered
RC 100 RESIN		3	100	100	22	Centered
RC 12080 RESIN	SHOWER TRAYS in solid resin	3	120	80	20	Offset (Bath format)
RC 12090 RESIN	stone graphite Anti - slip	3	120	90	24	Offset (Bath format)
RC 14090 RESIN	Ultra flat Trap or 360° trap	3	140	90	26	Offset (Bath format)
RC 16090 RESIN	Bespoke, consult us	3	160	90	32	Offset (Bath format)
RC 150100 RESIN		3	150	100	35	Offset (Bath format)
RC 18590 RESIN	7	3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 RESIN - LINE		3	90	90	16	Offset (Bath format)
RC 100 RESIN - LINE	SHOWER TRAYS channel grid type in solid resin stone graphite Anti - slip Ultra flat Trap Bespoke, consult us	3	100	100	22	Offset (Bath format)
RC 12090 RESIN - LINE		3	120	90	24	Offset (Bath format)
RC 14090 RESIN - LINE		3	140	90	26	Offset (Bath format)
RC 150100 RESIN - LINE		3,5	150	100	35	Offset (Bath format)
RC 18590 RESIN - LINE		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)
RESIN BOARD-200/100	Wall Cladding Panel 200 x 100 cm Wall in Solid Resin stone graphite - Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	1	200	100	20
RESIN BOARD-250/100	Wall Cladding Panel 250 x 100 cm Wall in Solid Resin stone graphite - Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing	1	250	100	28
RESIN BOARD-260/120	Wall Cladding Panel 260 x 120 cm Wall in Solid Resin stone graphite - Cuttable - delivered with pre-mounted waterproof mat for peripheral sealing (also exists in 280 cm on demand)	0,3 - 0,4	260	120	6

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	
CORNER STONE	Corner Shelf in Solid Resin stone graphite for shower or bathroom	2,5	26	26	1	







7046 GREY CLEAR



7015 GREY SLATE



7037 GREY TAUPE



9005 BLACK



REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 SKIN	SHOWER TRAYS in Solid Resin leather Anti - slip Ultra flat Trap or 360° trap Bespoke, consult us	2,5	90	90	16	Centered
RC 100 SKIN		3	100	100	22	Centered
RC 12080 SKIN		3	120	80	20	Offset (Bath format)
RC 12090 SKIN		3	120	90	24	Offset (Bath format)
RC 14090 SKIN		3	140	90	26	Offset (Bath format)
RC 150100 SKIN		3	150	100	35	Offset (Bath format)
RC 18590 SKIN		3,5	185	90	40	Offset (Bath format)

REF	DESCRIPTION	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	NET WEIGHT (KG)	OUTLET POSITION
RC 90 SKIN - LINE		3	90	90	16	Offset (Bath format)
RC 100 SKIN - LINE	SHOWER TRAYS channel grid type in Solid Resin leather Anti - slip Ultra flat Trap Bespoke, consult us	3	100	100	22	Offset (Bath format)
RC 12090 SKIN - LINE		3	120	90	24	Offset (Bath format)
RC 14090 SKIN - LINE		3	140	90	26	Offset (Bath format)
RC 150100 SKIN - LINE		3,5	150	100	35	Offset (Bath format)
RC 18590 SKIN - LINE		3,5	185	90	40	Offset (Bath format)



WHITE



GREY CLEAR



GREY SLATE



GREYTAUPE



BLACK











PLAIN





SQUARE

REF	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)	
SQUARE (1)				
SQUARE2 (2)	0,2	11,5	11.5	
ROUND (2)	0,2	11,5	11,5	
DIAGONAL (2)				


(1) SUPPLIED - (2) OPTIONAL

CHANNEL

REF	THICKNESS (CM)	LENGTH (CM)	WIDTH (CM)
PLAIN (1)			
SQUARE LINE (2)	0,15	70	7
ROUND LINE (2)			


(1) SUPPLIED - (2) OPTIONAL

JAMES



		DISPLACEMENT		
REF	DESCRIPTION	HORIZONTAL (CM)	VERTICAL (CM)	DESIGN SHOWER TRAYS COMPATIBILITY
JAMES 90	360° trap for trays with a square grid	8,3	12,4	All SHOWER TRAYS in the range with a square grid

SLIM



REF	DESCRIPTION	DISPLACEMENT HORIZONTAL (CM)	DESIGN SHOWER TRAYS COMPATIBILITY	
SLIM 90	Ultra Flat trap for trays with a square grid	4 to 5.8	All SHOWER TRAYS in the range with a square grid	
SLIM LINE	Ultra flat Rectangular Trap for trays with a channel grid	4 (0 5,8	All SHOWER TRAYS with a Channel grid	

MERCHANDISING —

1 COLOUR CHART for resin designer

SHOWER TRAY

COLOUR CHART for resin designer
 SHOWER TRAYS: Find all the finishes and colours in this ergonomic COLOUR CHART and offer all the variations to your customers. Offered with a DISPLAY order.

REF: RESIN COLOUR CHART



— This COLOUR CHART, about 30 cm long and

20 cm wide, will allow you to deploy the essence of natural stones in front of your customers and offer them a large range to make their choice.REF: COLOUR CHART STONE



 Designed in wood and space-saving, this DISPLAY will allow you to offer up to two SHOWER TRAYS of 120 x 90 cm. Offered for a display order of two SHOWER TRAYS REF: STAND TWO SIDES









STANDARD CONDITIONS OF AGREEMENT FOR U-TILE SA (PTY) LTD

1. The Customer agrees that (a) this Agreement represents the entire Agreement between the Customer and U TILE SA (PTY) LTD (Pty) Limited (hereinafter called U TILE SA (PTY) LTD) and that no alterations or additions to this Agreement may be effected unless agreed to by both parties, reduced to writing and signed by the Customer and a duly authorized representative of U TILE SA(PTY) LTD; (b) this Agreement will gover all fluture contractual relationships between the parties; (d) this Agreement is applicable to all existing debts between the parties; (d) this Agreement is final and binding and is not subject to any suspense or dissolutive conditions; (e) any conflicting conditions stipulated by the Customer are expressly excluded; (f) these terms supersede all previous conditions of agreement without prejudice to any securities or guarantees held by U TILE SA (PTY) LTD and (g) these terms apply to all servants and subcontractors of U TILE SA (PTY) LTD. SA (PTY) LTD.

(PTY) LTD and (g) these terms apply to all servants and subcontractors of UTILE SA (PTY) LTD.

2. This Agreement only becomes final and binding on receipt of the acceptance of any order by UTILE SA (PTY) LTD at its business address in Port Elizabeth.

3. The signatory hereby binds himself / herself in his / her personal capacity as Shareholder (in the case of a company), Member (in the case of close corporations) or Owner or Partner as co-debtor jointly and severally for the full amount due to UTILE SA (PTY) LTD and agrees that these Standard Conditions will apply in the exact same way to him / her.

4. The Customer acknowledges that it does not rely on any representations made by UTILE SA (PTY) LTD in regard to the goods and services or any of its qualities leading up to this Agreement other than those contained in this Agreement. All specifications, price lists, performance figures, advertisements, brochures and other technical data furnished by UTILE SA (PTY) LTD in respect of the goods or services or ally or in writing will not form part of the Agreement in any way unless agreed to in writing by UTILE SA (PTY) LTD.

5.1 The Customer agrees that neither UTILE SA (PTY) LTD nor any of its employees will be liable for any negligent or innocent misrepresentations made to the Customer.

employees will be liable for any negligent or innocent misrepresentations made to the Customer.

5.2 It is the sole responsibility of the Customer to determine that the goods or services ordered are suitable for the purposes of intended use.

5.3 The Customer agrees to pay all costs resulting from any acts or omissions of the Customer including suspension of work, modification of requirements, failure or delay in giving particular requisite to enable work to proceed on schedule or requirements that work be completed earlier than agreed.

5.4 U TILE SA (PTY) LTD reserves the right at its sole discretion to provide alternative goods at the prevailing prices to those ordered by the Customer should such goods be superseded, replaced or its manufacture terminated.

6.1 All quotations will remain valid for a period of 30 days from the date of the quotation

quotation or until the date of issue of a new Price List, whichever occurs first.

6.2 All quotations are subject to the availability of the goods or services and subject to correction of good faith errors by U TILE SA (PTY) LTD and the prices quoted are subject to any increases in the cost price, including currency fluctuations, of U TILE SA (PTY) LTD before acceptance of the order.

6.3 If the Customer disputes the amount of increase, the amount of the increase may be certified by any independent auditor and such certificate shall be final and binding on the Customer.

and binding on the Customer.

6.4 The Customer hereby confirms that the goods or services on the Tax Invoice issued duly represent the goods or services ordered by the Customer at the prices agreed to by the Customer and, where delivery / performance has already taken place, that the goods or services were inspected and that the Customer is satisfied that these conform in all respects to the quality and quantity ordered

satisfied that these conform in all respects to the quality and quantity orders, and are free from any defects.

6.5 Notwithstanding the provisions of section 1 above, all orders or agreed variations to orders, whether oral or in writing, shall be binding and subject to these standard conditions of agreement and may not be cancelled.

6.6 U TILE SA (PTY) LITO Shall be entitled in its sole discretion to split the delivery / performance of the goods or services ordered in the quantities and on the dates it decired.

6.7 U TILE SA (PTY) LTD shall be entitled to invoice each delivery / performance

C.7. UTILE SA (PTY) LTD shall be entitled to invoice each delivery / performance actually made separately.

6.8. Any delivery note or waybill or job card (copy or original) signed by the Customer or a third party engaged to transport the goods and held by UTILE SA (PTY) LTD shall be conclusive proof that delivery was made to the Customer.

6.9 The risk of damage to, destruction or theft of goods shall pass to the Customer on acceptance of any order placed in terms of this Agreement and the Customer undertakes to comprehensively insure the goods until paid for in full. UTILE SA (PTY) LTD may recover insurance premiums from the Customer for such uninsured goods.

6.10 Delivery, installation and performance times quoted are merely estimates and are not binding on UTILE SA (PTY) LTD.

6.11 If UTILE SA (PTY) LTD girees to engage a third party to transport the goods, UTILE SA (PTY) LTD is hereby authorised to engage a third party on the Customer's behalf and on the terms deemed fit by UTILE SA (PTY) LTD.

6.12 The Customer indemnifies UTILE SA (PTY) LTD against any claims that may arise from such agreement in clause 6.11 against UTILE SA (PTY) LTD.

6.13 Repair times and repair costs given are merely estimates and are not

6.13 Repair times and repair costs given are merely estimates and are not binding on U TILE SA (PTY) LTD 6.14 may be sold by U TILE SA (PTY) LTD 6.14 may tem handed in for repair may be sold by U TILE SA (PTY) LTD to defray the cost of such repairs lift the item remains uncollected within 30 days of the repairs being completed.

6.15 All goods taken on an approval or consignment basis by the Customer are deemed sold if not returned within 0 days of issue in the original condition, in the original packaging and with all accessories and manuals intact.

6.16 The Customer acknowledges all copyrights and shall not duplicate copyrighted material and that each infringement attempt shall immediately render the full prevailing price payable to UTILE SA (PTY) LTD.

6.17 The Customer shall indemnify UTILE SA (PTY) LTD against any claims, costs and expenses arising out of the infringement of copyright, patent, trademark or design supplied by the Customer.

Services carry no guarantee. 7.2 No claim under this Agreement shall arise unless the Customer has, within 3 days of the alleged breach or defect occurring, given U TILE SA (PTY) LTD 30 days written notice by prepaid registered post to rectify any defect or breach of

days of the anegeo breach of detect occurring given or the safety in the content of Agreement.

7.3 To be valid, claims must be supported by the original Tax Invoice.

7.4 The Customer shall return any defective moveable goods to the premises of UTILE SA (PTY) LTD at the Customers own cost and packed in the original or suitable packaging.

and all risks for the duration of repair remain with the Customer.

8.1 Under no circumstances shall U TILE SA (PTY) LTD be liable for any consequential damages or for any Delictual liability of any nature whatsoever.

8.2 Under no circumstances shall U TILE SA (PTY) LTD be liable for any damage arising from any misuse, abuse or neglect of the goods or services.

9. Delivery of the goods or services to the Customer shall take place at the place of business of UTILE SA (PTY) LTD.

10.1 The Customer agrees that the amount contained in a Tax Invoice issued by UTILE SA (PTY) LTD shall be due unconditionally (a) cash on order; or (b) if the Customer is a Credit Approved Customer, within the granted credit period as specified on the Credit Application after a Tax Invoice has been issued by UTILE SA (PTY) LTD.

10.2 The customer agrees to pay the amount on the Tax Invoice at the offices of UTILE SA (PTY) LTD may designate in writing.

10.2 The Customer agrees to pay the amount on the Tax Invoice at the offices of UTILE SA (PTY) LTD and such other place UTILE SA (PTY) LTD may designate in writing.

10.3 The risk of payment by cheque through the post rests with the Customer.

11.1 The Customer has no right to withhold payment for any reason whatsoever and agrees that no extension of payment of any nature shall be extended to the Customer and any such extension will not be applicable or enforceable unless agreed to by UTILE SA (PTY) LTD. reduced to writing and signed by the Customer and a duly authorized representative of UTILE SA (PTY) LTD.

11.2 The Customer is not entitled to set off any amount due to the Customer and a duly authorized representative of UTILE SA (PTY) LTD.

11.2 The Customer is not entitled to set off any amount due to the Customer by UTILE SA (PTY) LTD against this debt.

11.3 All discounts shall be forfieted if payment in full is not made on the due date.

12.1 The Customer agrees that the amount due and payable to UTILE SA (PTY) LTD may be determined and proven by a certificate issued and signed by any interctor or manager or member or partner. Such certificate shall be binding and shall be prima facie proof of the indebtedness of the Customer.

12.2 Any printout of computer evidence tendered by any party shall be admissible evidence and no party shall object to the admissibility of such evidence purely on grounds that such evidence is computer evidence or that the requirements of the Computer Evidence Act have not been met.

13.1 The Customer agrees that interest shall be payable at the maximum legal interest rate prescribed in terms of the Usury Act on any moneys past due date to UTILE SA (PTY) LTD and that interest shall be calculated daily and compounded monthly from the date the debt falls due.

14.1 The Customer agrees that interest shall be payable at the maximum legal interest rate prescribed in terms of the Usury Act on any moneys past due date to UTILE SA (PTY) LTD and that interest shall be calculated in Juli (

non-payment.

14.2 A Credit Approved Customer will forthwith lose this approval when payment is not made according to the conditions of 10.1(b) and all amounts then outstanding shall immediately become due and payable.

15.1 In the event of cancellation, the Customer shall be liable to pay (a) the difference between the selling price and the value of the goods at the time of repossession and (b) all other costs incurred in the repossession of the goods. The value of repossessed or retained pledged goods shall be deemed to be the value placed on them by any sworn valuator after such repossession, and such value placed on them by any sworn valuator after such repossession, and such valuation shall be conclusive proof of the value. If the goods are not recovered for any reason whatchever the value shall be deemed to be not.

valuation shall be conclusive proof of the value. If the goods are not recovered for any reason whatsoever, the value shall be deemed to be nil.

15.2 The Customer irrevocably authorises U TILE SA (PTY) LTD to enter its premises to repossess any goods delivered and indemnifies U TILE SA (PTY) LTD completely against any damage whatsoever relating to the removal of repossessed goods.

15.3 In the event of cancellation U TILE SA (PTY) LTD is entitled not to produce any unmade balance of a contract and to recover any loss sustained thereby from the Customer.

the Customer.

16.1 All goods supplied by U TILE SA (PTY) LTD remain the property of U TILE SA (PTY) LTD until such goods have been fully paid for whether such goods are attached to other property or not.

16.2 The Customer is not entitled to sell or dispose of any goods unpaid for without the prior written consent of U TILE SA (PTY) LTD. The Customer shall not allow the goods to become encumbered in any manner prior to the full payment thereof and shall advise third parties of the rights of U TILE SA (PTY) LTD in the

goods.

16.3 If any goods supplied to the Customer are of a generic nature and have become the property of the Customer by operation of law (confusio or commixto) the Customer shall be obliged on notice of cancellation of the agreement to retransfer the same quantity of goods in ownership to U TILE SA (PTY) LTD. 16.4 The Customer agrees to accept any quantity that does not exceed or fall

16.4 The Customer agrees to accept any quantity that does not exceed or fall short of the quantity ordered by no more than 0% as good and complete performance and may request UTILE SA (PTY) LTD to pay only the proportionate contract price for the actual quantity dispatched which request will not be unreasonably withheld.

17.1 The Customer shall be liable to UTILE SA (PTY) LTD for all legal expenses on the attorney-and-own client scale of an attorney and counsel incurred by UTILE SA (PTY) LTD in the event of (a) any default by the Customer or (b) any litigation in regard to the validity and enforceability of this agreement. The Customer shall also be liable for any tracing, collection or valuation fees incurred as well as for any costs, including stamp duties, for any form of security that UTILE SA (PTY) LTD may demand.

LTD may demand. 17.2 The Customer shall pay three thousand Rand into court or furnish sufficient

17.2 The Customer shall pay three thousand Rand into court or furnish sufficient security in lieu of costs in any action instituted by or against the Customer. 17.3 The Customer agrees that U TILE SA (PTY) LTD will not be required to furnish security in terms of Rule 62 of the Rules of Court of the Magistrate's Courts or in terms of Rule 47 of the Law of the Supreme Court 59 of 1959.

18. The Customer agrees that no indulgence whatsoever by U TILE SA (PTY) LTD will affect the terms of this agreement or any of the rights of U TILE SA (PTY) LTD and such indulgence shall not constitute a waiver by U TILE SA (PTY) LTD in espect of any of its rights herein. Under no circumstances will U TILE SA (PTY) LTD be estopped from exercising any of its rights in terms of this Agreement.

19. The Customer hereby consents that U TILE SA (PTY) LTD shall have the right to institute any legal action in either the Magistrate's Court or the High Court at its sole discretion.

20.1 Any document shall be deemed duly presented to and accepted by the

to instrute any lega action in eitner the Magistrate's Court or the high Court at its sole discretion.

20.1 Any document shall be deemed duly presented to and accepted by the Customer (i) within 3 days of prepaid registered mail to any of the Customer's business or postal addresses or to the personal address of any director, member or owner of the Customer's nor (ii) within 24 hours of being faxed to any of the Customer's fax numbers or any director, member's or owner's fax numbers or any director, member's or owner's fax numbers or any director, member's or owner's fax numbers or owner of the Customer, or (ii) within 48 hours if sent by overnight courier, (v) within 48 hours of being televed to the Customer's telex number or (vi) within 7 days of being sent by surface mail 20.2 The Customer chooses its address for legal execution as the business address or the physical addresses of any Director (in the case of a company), Member (in the case of close corporations) or of the Owner(s) or Partner(s). 20.3 The Customer undertakes to inform UTILE 5A (PTY) LTD in writing within 7 days of any change of Director, Member, Shareholder, Owner or Partner or address or 14 days prior to selling or allenating the Customer's business and failure to do so will constitute a material breach of this agreement. Upon receipt of such written notification, UTILE 5A (PTY) LTD To restribution of such written notification, UTILE 5A (PTY) LTD To restribution in rating credit. The Customer appears that UTILE 5A (PTY) LTD discinging such information to credit control companies, banks and other institutions involved in rating credit. The Customer appears that UTILE 5A (PTY) LTD discinging such information to a specific third party.

20.5 The Customer hereby consents that UTILE SA (PTY) LTD Can provide personal information of the Customer has indicated UTILE 5A (PTY) LTD and that his formation to a specific third party.

20.5 The Customer hereby consents that UTILE SA (PTY) LTD Can provide personal information of the Customer to third parti 20.1 Any document shall be deemed duly presented to and accepted by the

to time.
21. The Customer agrees to the Standard Rates of U TILE SA (PTY) LTD for any goods or services rendered, which rates may be obtained on request.
22. The invalidity of any part of this Agreement shall not affect the validity of any

other part.

23. Any order is subject to cancellation by U TILE SA (PTY) LTD due to Acts of God from any cause beyond the control of U TILE SA (PTY) LTD, including (without restricting this clause to these instances): inability to secure labour, power, materials or supplies, or by reason of an act of God, war, civil disturbance, riot, state of emergency, strike, lockout, or other labour disputes, fire, flood, drought calculations.


state of emergency, strike, lockout, or other labour disputes, fire, flood, drought or legislation.

24. Any order is subject to cancellation by U TILE SA (PTV) LTD if the Customer breaches any term of this Agreement or makes any attempt of compromise, liquidation, sequestration, termination or judgement is recorded against the Customer or any of its principals.

25. The Customer agrees that U TILE SA (PTV) LTD will be immediately and irrevocably released from any contractural damages and penalty obligations should any event in clause 23 or 24 occur.

26. This Agreement and its interpretation is subject to South African law and the Customer consents to the exclusive jurisdiction of the South African Courts referred to in 19

referred to in 19



SWAN Art of bathroom

www.u-tile.co.za